

Do more with GRAPHISOFT® Archicad® add-ons for Openings Studio

3.10 Release Notes

Experience a safer and more open world

Integrations extend functionality, make day-to-day interaction easier

We're a full quarter into 2021, and it's amazing to see how much progress the Openings Studio development team has made. The amount of work that has gone into the GRAPHISOFT® Archicad® and the PDF Viewer is incredible, and the features that you see are just the tip of the iceberg.

In Archicad®, architects can now import hardware set worksheets from the Openings Studio add-on. In the PDF Viewer, add annotation details such as clouds, highlight text and more.

As always, we continue to enhance the user experience, which you will see in the pages below. New filter wildcards make it easier to search, while slight changes to filters allow you to find warnings, review openings by schedule or hide inactive openings.

We hope you enjoy the latest release of Openings Studio. If you have questions about this release, please don't hesitate to reach out to your local BIM Manager or Openings Studio Consultant.

Cheers,

Paul Candy Global Director of BIM Technologies

Table of Contents

- 02 | Archicad® 24 add-ons available for installation, testing
- 03 | Export, create hardware set worksheets for Archicad®
- 04 | New annotation tools added to PDF Viewer
- 05 | Notes added to door types, frame elevations
- 05 | Icons removed for external users
- 06 | Hamburger menu updated, simplified
- 06 | New Contact Support e-mail
- 06 | Outdated Price Books alert updated
- 07 | Hide inactive openings filter retains selection
- 07 | Filter by Warning Symbol
- 07 | Filter by Schedule
- 08 | Use wildcard characters in filter search
- 08 | Set firm user number
- 09 | Export wall, frame-based hardware for custom frames
- 09 | Changes to Details Screen
 - 10 | Troubleshooting Guide
 - 11 | Openings Studio Global Support
 - 12 | Openings Studio Marketing Resources



Denmark

Digital transition proves valuable for Denmark

The architectural and specification team in Denmark has been quick to see the opportunities that exist in an era of lock downs and social distancing.

Here's how they're moving forward. Read the story today on Avenue





Archicad® 24 add-ons available for installation, testing

The Openings Studio add-on is available for Archicad 23 and 24. To download the newest installers, visit: **<u>bit.ly/Download-OS-ARCHICAD</u>** and select your location to get started.

The ability to create door hardware set worksheets is now available in the newest version of the add-on. In the following pages, you'll see how quickly you can share hardware sets with architects by exporting parameters from Openings Studio.





Want to learn Archicad®? <u>Hop over to Avenue</u> and click Learning. From there, you'll search "Archicad®" for free training resources.





Export, create hardware set worksheets for Archicad®

To export to Archicad, go to the Door & Frame Schedule toolbar (A) and select the export icon. Select Export to Archicad. Note: This process needs to be initiated by the specification consultant.

	Door & Frame S	chedule
	Export to Archicad	
	Export Opening(s) to 3	Spreadsheet
ı س	Export Opening(s) to	Spreadsheet

Step through the Openings Studio Export Wizard and select the parameters you'd like to send over to Archicad. Select *Export* (B).

openings Studio - Export Witzard						
pening Selections	Export Options	Export to Archicad				
		(\uparrow)				
🔽 la	gree to the <u>Terms & A</u>	greement and have permission to export information back to the central model.				

Window

A DO V

Openings Studio Help

× A [Action C

Analyze All

About

port Regist

8 • 😹 🗷 × 🛤 🕸 • 😹 🛪 🎞 🖓

[] [3D / All]

ExamplePluginShowcase - ARCHICAD 24 DEMO Edit View Design Document Options

88 [2. Second Floor]

100 20 2 A /

 Design \square ۵ 00 \triangleleft B P

In Archicad, go to the Openings Studio add-on in the menu, and select Import (C).

Need help with the installing the Archicad add-on? Go to https://knowledge.openingsstudio.com/archicad to learn how to install and manage your add-on.

Select the project to import from the Project List (D).











A hardware set worksheet has been created in a new tab (F).

New annotation tools added to PDF Viewer

In the last release, we added several annotation tools to PDF viewer. In this release, users can now take advantage of new tools such as highlighting text, moving annotations or adding cloud shapes to PDFs. Learn more about the PDF Viewer by logging into the Openings Studio Knowledge Base! Visit: https://knowledge.openingsstudio.com

Annotation tools



Annotation Editor

To modify the font, increase or decrease the font size or adjust the background color. use the new annotation editor in the PDF Viewer.

Create the annotation by selecting the Add Text button from the PDF Viewer Toolbar and then use the annotation editor to make adjustments.



Highlight existing text

Use the Highlight Text button to highlight existing or flattened information within the PDF. Select Highlight Text and draw a box around the text. It will highlight the text around it.



Add clouds

Select the cloud button and click in the PDF Viewer. Make cloud arcs by clicking to give you the size and shape. When you're done, right-click or hit enter. Didn't get it quite right? Use the ESC key to try again.



4 3.10 Openings Studio Release Notes

Notes added to door types, frame elevations

Need to add product related notes or additional information to door types or frame elevations? Under the Door Types and Frame Elevations tab, an option will appear to add, save and search for notes. Notes are set for each door.

To create a note, select the row on the door type. Cli	ck
the add (A) button.	

Door Type Type Arch Rating Material Material Types Panel Type Vendor Series Vend	Ha	ardware	P	roducts	D	oor Types	Frame Elev	ations	Rev	it Para	ms	Sur	nmary					
- - 2 Door - Panel 0 F 0 A A 3 ALUM. Aluminum 1 TYPE 16 0 B(1) B 6 ALUM. Aluminum 1 TYPE 16 0 B(2) B 3 HM Hollow Metal 1 TYPE 16 0 C(1) C 13 HM Hollow Metal 1 FG 0 C(2) C 4 3/4 Hour HM Hollow Metal 1 FG 0 E(2) E 3 3/4 Hour HME Hollow Metal 1 F 0 F F 88 HME Hollow Metal 1 F 0 C(1) C 449 HME Hollow Metal 1 F 0 F F 88 HME Hollow Metal 1 F 0 C(1) C 449 HME Hollow Metal 1 F 0 C(1) C 449 HME Hollow Metal	1	Door Type	Arch Type	Instances	Ext	Fire Rating	Arch Material	Mate	erial	Types	Panel	Туре	Vendor	Series	Vendor Type	Gauge Construction	Steel Type Species	Lo
A A 3 ALUM. Aluminum TYPE 16 0 B(1) B 6 ALUM. Aluminum TYPE 16 0 B(2) B 3 HM Hollow Metal TYPE 16 0 C(1) C 13 HM Hollow Metal FG 0 C(2) C 4 3/4 Hour HM Hollow Metal FG 0 E(1) E 16 HME Hollow Metal FG 0 1 E(2) E 3 3/4 Hour HME Hollow Metal FF 0 F F 88 HME Hollow Metal FF 0 1 C(1) C 149 HME Hollow Metal FF 0 1 F F 88 HME Hollow Metal FF 0 1 C(1) C 149 HME Hollow Metal FF 0 1	•		-	2			Door - Panel	Door -	Panel		F	-	0					
B (1) B 6 ALUM. Aluminum I TYPE 16 0 B (2) B 3 HM Hollow Metal TYPE 16 0 C (1) C 13 HM Hollow Metal TYPE 16 0 C (1) C 13 HM Hollow Metal FG 0 C (2) C 4 3/4 Hour HM Hollow Metal FG 0 E (1) E 16 HME Hollow Metal FF 0 0 E (2) E 3 3/4 Hour HME Hollow Metal FF 0 F F 88 HME Hollow Metal FF 0 0 C (1) C 149 HME Hollow Metal FF 0 0 V Notes F X X X X X X	2	А	Α	3			ALUM.	Alumi	num	Ū	TYP	E 16	0					
B (2) B 3 HM Hollow Metal TYPE 16 0 C (1) C 13 HM Hollow Metal FG 0 C (2) C 4 3/4 Hour HM Hollow Metal FG 0 E (1) E 16 HME Hollow Metal F 0 E (2) E 3 3/4 Hour HME Hollow Metal F 0 F F 88 HME Hollow Metal F 0 0 C (1) C 149 HME Hollow Metal F 0 0 V Notes V Notes F 0 0 0 0	2	B (1)	в	6			ALUM.	Alumi	num	Ū	ТҮР	E 16	0					
C (1) C 13 HM Hollow Metal FG 0 C (2) C 4 3/4 Hour HM Hollow Metal FG 0 E (1) E 16 HME Hollow Metal F 0 E (2) E 3 3/4 Hour HME Hollow Metal F 0 F F 88 HME Hollow Metal F 0 0 C (1) C 142 HME Hollow Metal F 0 0 F F 88 HME Hollow Metal F 0 0 C (1) C 142 HME Hollow Metal F 0 0 V Notes V Notes K K K K K	1	B (2)	в	3			НМ	Hollow	Metal	Ū	TYP	E 16	0					
C (2) C 4 3/4 Hour HM Hollow Metal Image: FG 0 E (1) E 16 HME Hollow Metal Image: FF 0 E (2) E 3 3/4 Hour HME Hollow Metal Image: FF 0 F F 88 HME Hollow Metal Image: FF 0 C (1) C 142 HME Hollow Metal Image: FF 0 V Notes V Notes Image: FF 0 Image: FF 0	1	C (1)	С	13			HM	Hollow	Metal	Ū	F	G	0					
E (1) E 16 HME Hollow Metal F 0 E (2) E 3 3/4 Hour HME Hollow Metal F 0 F F 88 HME Hollow Metal F 0 C (1) C 142 HME Hollow Metal F 0 V Notes V Notes V V V V	1	C (2)	С	4		3/4 Hour	HM	Hollow	Metal	Ð	F	G	0					
E (2) E 3 3/4 Hour HME Hollow Metal F 0 F F 88 HME Hollow Metal F 0 C (1) C (1) F 0 0 V Notes V Notes V Notes	/	E (1)	Е	16			HME	Hollow	Metal	Ū	F	-	0					
F F 88 HME Hollow Metal F 0 C(1) C HME Hollow Metal III F 0 V Notes V Notes V <td>2</td> <td>E (2)</td> <td>Е</td> <td>3</td> <td></td> <td>3/4 Hour</td> <td>HME</td> <td>Hollow</td> <td>Metal</td> <td>Ū</td> <td>F</td> <td>-</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td>	2	E (2)	Е	3		3/4 Hour	HME	Hollow	Metal	Ū	F	-	0					
	1	F	F	88			HME	Hollow	Metal	0	F		0					
V Notes	2	G (1)	G	112			HME	Hollow	Metal		ŗ	-	0					
	~	Notes	G	113			HME	Hollow	Metal			-	0		1			

Enter information (B) into the Name, select or enter the name for the Note Group and Note section.



Notes		- 🗆 ×
Search	Details	
~	Parameter	Value
New Item	Name	
	Note Group	
:	Note	
Delete		Save Insert Cancel

	Door &	Fran	ne Sched	le C	000r & I	Fram	ie Sch	iedi	ule
	Mark	RFI	Level		Mark	RFI	Level	Ext	To Roo
12	AL1		Level 1		100A			~	
	AL2		Level 1		100B				
	AL3		Level 1		100C			~	
	AL4		Level 1		100D			~	
	3		Level 1		100E			~	
	4		Level 1		100F			~	

	Mark	RFI	Level	Ext	Roo
•	100A			~	
•	100B				
•	100C			~	
•	100D			~	
•	100E			~	

Icons removed for external users

Architects and other external users will no longer see the green check 📀 or the red x 😒 in the left column in the Door & Frame Schedule, as well as Door Types and Frame Elevations. This will still be used by internal consultants to determine whether more detailing is required on an opening.

Hamburger menu updated, simplified

Changes to the Hamburger menu make it easier for users to find what they need. Easily switch to dark theme, adjust font families or sizes, or update your password under the Settings option.

New Contact Support e-mail gathers helpful information

To help users get a faster response on support issues. In the e-mail prompt, a series of questions are provided to gather information. These e-mails will generate ServiceNow tickets, and this information will help regional support teams determine how and what level of support to provide.

Downloads Plugins Knowledge Base Contact Support Settings Profile & Password Change Font > Theme Upload Error log Download Test

Exit

About

Plugins

Exit

69453

Arrow Lock



Outdated Price Books alert updated

Need to update a price book? No problem! With the new prompt, quickly find the project that needs updating with a new column showing the Project ID. You will be asked to update the project and price books before proceeding with copying hardware libraries. Once the project has been updated, you will be able to copy the hardware library.



12/31/2014

AW

Hide inactive openings filter retains selection

Looking for a way to hide and retain inactive door openings selections? Right-click or select the Filter button from the Door & Frame Schedule Toolbar. From the options, select Hide Inactive Openings. To unhide inactive openings, select the Filter button or right-click in the Door & Frame Schedule and disable the filter.

	D	000r &	Frar	ne Sche	dule	Elevations Ke	y Schedu	lle		
0			- C				Opening	g		
()		Mark	RFI	Level	Ext	To Room	Inactive	Config	Width	Height
	0	AL4		Level 1		Main Hall K 🧷 🧷	5	AI	1880	2254
\bigcirc		3		Level 1		Vestibule G		SG	915	2134
Ē	ø	4		Level 1		Main Hall K 🏒	5	SG	915	2134
Ű		5		Level 1		Main Hall K 🏒		AI	1830	2134
\Im	9	6		Level 1		Main Hall K 🏒	<u>ا</u>	AI	1830	2134
¥		7		Level 1				AI	1830	2134
:=	ø	8		Level 1		Lockers Corridor H		SG	915	2134
_		9		Level 1		Lockers Corridor H		SG	915	2134
Ŧ	0	10		Level 1		Classroom Coridor 🏒	<u>۶</u>	AI	1830	2134
-										Lawrence of

Filter by Revision Changes	>
Filter by Mobile App Data	>
Remove Filter Value(s)	>
Filter Electrified Openings	
Hide Deleted Openings	
Hide Inactive Openings	
Highlight Changes	>
Show Change Log	
Architect Parameter Mapping	
Clear Custom Pricing	

Filter by Warning Symbol

Warning Symbols indicate additional information about the opening that could be purely informational or indicate more attention is needed. For example, an architect may have assigned an incorrect hardware set in their design model, or they may just need to import updated information. To filter by Warning Symbol, select the filter and then select "Warning Symbol."



Туре	HWSet	
	T20-1 🅕	
2	T13 🅕	

Filter by Schedule

This filter is for Revit Schedules that were exported with the project. Filter the Door & Frame Schedule by either doors in the selected Schedules or not on the selected Schedules. In the new Filter by Schedule option, the schedule will be filtered by the Mark Value by default. To use Revit IDs, uncheck the Use Mark Values. Check the Select All button to filter by all of the schedules.

Filter by Electrified Openings
Filter by Mobile App Data
Filter by Revision Changes
Filter by Schedule
Filter by Selected Rows
Hide Deleted Openings
Hide Inactive Openings
Highlight Changes

>

>

>

Vse Mark Values	Filter on Selected Schedules	Filter Openings Not on Selected	Schedules
	Schedule Name	Schedule ID	Filter
Phase 1 Doors Schedule - Cor	2335280		
Phase 1 Door Schedule - RHA	2	2338313	
Phase 1 Door Schedule - RHA	3	2338334	
Phase 1 Exterior Doors Sched	ule	2355393	
Phase 1 Door Schedule - Acce	ssory Building	3079142	

Use wildcard characters in filter search

If you can't remember exactly what you were looking for, or are looking for a range of numbers, try using wildcard characters in the filter search (A).



· 🖗 Helpful Hint

Need a refresher on where to find the wildcards? Check the Knowledge Base for the latest filter options at **http://bit.ly/OS-KB-Wildcards**

*	Asterisks filter by all characters
?	Question marks and periods filter by an unknown character (e.g. AL?)
[]	Square brackets filter on single digit or letter, or a range of numbers (e.g. 00[0-9]A)
۸	Remove certain keywords by using the carat symbol (e.g. AL^1)

Set firm user number

To adjust the number of users a firm can have, reference the number in the Firm Contact Details. The default is set to 50 users per firm.

Contact Details

Location				
	Upload L	ogo View Logo	□ NDA □ BI0 🛕 50 🗘 U	Users
Firm Name	Phone	Firm URL		
Address	Zip	City		
State	Country	Region		
\checkmark		~	\checkmark	
Activation Code	Consultant	BIM Cons	sultant	
		\sim	\sim	
Administration User Can Edit And User can pull any CRM	I Add Translations AAOS project with the Titan	Exchange but cannot log	gin to Openings Studio	
🔽 User Must Only Er	iter Project Name To Save	Project		~
			Invite User Deac	ctivate
			Save C	Cancel

Export wall, frame-based hardware for custom frames

When you are using a custom frame, you will now see the placement of hardware, such as a card reader or electrified hardware, in relation to the frame (A) in the Revit® export. Note: Exporting hardware is optional and not a requirement.



Changes to Details Screen

😑 Openir	ngs Studio						
Project Detai	ls						
Project Type	Project						
-							
Name							Units
Start Date		Due Date	Est	Bid Date	SalesPoint		
	12		12	12			CRM Projects
> Summ	lary						
> Addre	SS						
> Firms							
> Consu	ltants						
✓ Report	ting						
	Project Type		Delivery				
			×	\	1		
	Owner Type		Rating		Keying System		
			~	N		\checkmark	
	Architect's Project N 1234567A	umber Rev	it Version	Dodge #	Spec Services Price	685381	
	ASSA ABLOY G	Agreement					
		· · · ·			í		
	Pa	arameter		Value	-		
	Windstorm						
	National Account	t					
	Government Cor	mpliance					
> Rema	rks						
Price Books	Create Revision	Authorized Users	Additional C	ontacts			

Spec Services Price retained in revisions

When creating a revision to a project, Spec Services Price will be retained on the revision (A) in the Details Screen. To create a revision of the project, select Create Revision in the bottom left-hand buttons.

Guide Spec changed to ASSA ABLOY Guide Spec

Changes to the Guide Spec (B) are to help clarify when a specification writer should be selecting this option.

National Account checkbox added

A new National Account checkbox has been added under parameters (C). When this checkbox is selected, it will send information to SpecTrak.

Government Compliance dropdown added

A new Government Compliance dropdown has been added under parameters (D). Select from the available options, which will then send information to SpecTrak.

D	\vee
Buy America	
Buy American Act	
Fast Act	
Other	
TAA	

Find troubleshooting answers easily with new search bar, tags

Access Troubleshooting content by going to Openings Studio™ and clicking Knowledge Base in the Hamburger menu.

Search by keyword in the troubleshooting search bar, filter by tag, or use the accordion tabs to find the troubleshooting content you need.

Discover new content, such as Openings Studio[™] was not shut down correctly last time it closed or what to do when an outdated price book error appears.



\equiv Aings Studio	
Home	
Contacts	
Libraries	
Search	

Projects Recent Click on the Hamburger Menu (A) at the top of Openings Studio™.



Downloads Plugins Knowledge Base B Contact Support Settings Exit

Click on Knowledge Base (B).

Access current information on the Knowledge Base

Walk architects and BIM Managers through the <u>analyze</u> or <u>export</u> process with just a couple of clicks, or find new information about installing <u>Archicad</u> add-ons. Visit https://knowledge.openingsstudio.com to find the latest.

Stay current with the latest features

The current Release Notes are always available in the Knowledge Base on the Specifier and Consultant home pages. For past release notes, visit the Release Archive. Click on Openings Studio[™] Release Archive at the bottom of the current Release Notes.

Have questions related to the Knowledge Base? Email knowledge@openingsstudio.com.

Success is just a couple of clicks away

Contacting your local support team is as easy as 1, 2, 3. Use the guide below to contact the appropriate regional support team member.

Home Contacts Libraries Search Projects Recent Downloads Plugins Knowledge Base Contact Su Settings Exit

Click on the Hamburger Menu at the top of Openings Studio (A).

Under Help, click on

Contact Support (B).

			-
₹ ® Send	То		_
	Cc		_
	Bcc		
	Subject	Report a problem in Openings Studio	

Please include the following information

- 1 Project ID
- Force 10
 Language
 Description including the steps to reproduce the issue
- User who experienced the issue
 Revit or ARCHICAD? Which version?
- 6. Attachments or images?

ASSA ABLOY

Incident INC0705822 has been created for you!

Opened: 2019-09-25 16:28:39 GMT | Opened by: Melissa Megna

Short description: Contact Support

Description: Type in request and send.

LEARN ~ FAO Q **Interactive Video Training** Troubleshooting Guide Doorway to BIM Blog Testimonials ServiceNow User Guide

Need more help?

The ServiceNow User Guide is available to ticket fulfillers from the Learn drop-down in the main navigation.

D

An email will pop-up from your email client, pre-addressed to the appropriate support team. The e-mail will include helpful questions. Add your support request and hit send (C).

Once submitted, you will receive a verification email that a service ticket was created (D).

Take marketing to the next level

Looking for Openings Studio marketing or communication material? We have several resources available to kick start your marketing campaigns or training efforts.

Your search is over

If you've been on the hunt for whitepapers, solution sheets, brochures, videos or other marketing items, you can easily find these materials on Avenue.

Go to *Library* and select *Market* & *Sales* (A). Then select *Marketing* (B). From there, you'll find an abundance of resources including the following:

- Access the BIM & Openings Studio Playbook
- <u>Review Event & Tradeshow assets</u>
- <u>Hear from users like you</u>
- Discover global case studies
- Listen to Doorway to BIM
- Watch the Openings Studio playlist
- <u>Read news & press releases</u>
- Learn Openings Studio branding protocols
- Download Release Notes

Have questions related to marketing? Email marketing@openingsstudio.com.









BIM Education Guide

BIM is a complex topic, but with our self-paced Education Guide, you can quickly get caught up to speed and find great resources across the Group. Download it on Avenue

Architect Bundle

Download targeted marketing resources for architects and BIM managers <u>on Avenue</u>.

Owner Bundle

Download targeted marketing resources for owners, facility managers and architects <u>on Avenue</u>. The ASSA ABLOY group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.

